*SC 5180-95-CL-A12-HR

HAND RECEIPT

COVERING CONTENT OF

SETS, KITS, AND OUTFITS COMPONENTS LIST

FOR

TOOL KIT, ARTILLERY AND TURRET MECHANIC'S: ORDNANCE (5180-00-357-7727) (W32182)

*This catalog supersedes SC 5180-95-CL-A12-HR, 26 December 1978.

HEADQUARTERS, DEPARTMENT OF THE ARMY

8 OCTOBER 1982

HAND RECEIPT
SC 5180-95-CL-A12-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, 8 October 1982

HAND RECEIPT

COVERING CONTENT OF

SETS, KITS, AND OUTFITS COMPONENTS LIST

FOR

TOOL KIT, ARTILLERY AND TURRET MECHANIC'S: ORDNANCE (5180-00-357-7727) (W32182)

REPORTING OF ERRORS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms) direct to: Commander, US Army Armament Materiel Readiness Command, ATTN: DRSAR-MAS, Rock Island, IL 61299. A reply will be furnished to you.

Page

Section I. Introduction ii
II. Hand Receipt

HAND RECEIPT FOR CONTENTS OF

COMPONENTS LIST OF SUPPLY CATALOG

ARTILLERY AND TURRET MECHANIC'S TOOL KIT

Section I.

INTRODUCTION

1. Scope. This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists items comprising the Ordnance Artillery and Turret Mechanic's Tool Kit.

2. General.

a. Section II is the overprinted DA Form 2062 which lists the item entries extracted from SC 5180-95-CL-A12. The listing consists of exactly the same items and are in the same sequence as those listings in SC 5180-95-CL-A12.

b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by DA PAM 710-2-1.

c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.

3. Explanation of Blocks and Columns (DA Form 2062). Refer to chapter 6, DA PAM 710-2-1. Additional information required to complete DA Form 2062 is listed below:

a. Hand receipts shall identify the accounting requirements status of all line item entries via the description column for each item: i.e., the first entry in the description column shall be the line item's Accounting Requirements Code (ARC), in parentheses, in front of the line item name. One of the following codes will apply:

(N) Nonexpendable	Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.
(D) Durable	Nonconsumable components of sets, kits, outfits, and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220, and 5280: and any other nonconsumable with a price in excess of $50.00 not already "N".
(X) Expendable	Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost $50.00 or less and not already "N" or "D".

b. Components of sets, kits, or outfits (SKO) are authorized by the applicable Supply Catalog/ Components Listing (SC/CL).

Section II. HAND RECEIPT

HAND RECEIPT/[redacted] *For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.*	FROM:	TO:	HAND RECEIPT NUMBER

FOR [redacted]/CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY
	5180-00-357-7727	TOOL KIT, ARTILRY & TURRET MECHANICS	SC 5180-95-CL-A12-HR	8 OCT 1982	

STOCK NUMBER *a.*	ITEM DESCRIPTION *b.*	* *c.*	SEC *d.*	UI *e.*	QTY AUTH *f.*	*g.* QUANTITY A	B	C	D	E	F
5180-00-357-7727	TOOL KIT, ARTILLERY AND TURRET MECHANIC'S:	D	U	EA							
	Consisting of the following components:										
5120-00-224-1389	BAR, PRY	D	M	EA	1						
8020-00-297-6657	BRUSH, PAINT	X	U	EA	1						
5110-00-242-3457	CHISEL, COLD, HAND	D	U	EA	1						
5120-00-239-0035	DRIFTPIN: 1/4 in. largest dia, 4 in. lg	D	M	EA	2						
5120-00-239-0036	DRIFTPIN: 1/2 in. largest dia, 4 in. lg	D	M	EA	1						
5120-00-241-3523	DRIFTPIN: 3/4 in. largest dia, 12 in. lg	D	M	EA	1						
5110-00-234-6532	FILE, HAND: fl type, sm cut, 6 in. lg heel to pt,	D	M	EA	1						
	5/8 in. w										
5110-00-156-0054	FILE, HAND: hand type, rglr, sec cut, 8 in. lg heel	D	M	EA	1						
	to pt, 13/16 in. w										
5110-00-234-6550	FILE, HAND: rnd type, rglr, sm cut, 6 in. lg heel	D	M	EA	1						
	to pt										
5110-00-234-6528	FILE, HAND: tpr type, slim, 6 in. lg heel to pt	D	M	EA	1						
5110-00-204-2685	FILE SET, HAND: w/case	D	M	SE	1						

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

SC 5180-95-CL-A12-HR

DA FORM 2062 JAN 82 Current as of 8 OCT 1982 EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
	c/o 1 ea of the following:										
	FILE, HAND:										
	type										
5110-00-242-0127	barrette	D	M								
5110-00-242-0146	crossing	D	M								
5110-00-156-0062	equaling	D	M								
5110-00-156-0063	fl	D	M								
5110-00-239-3269	half-rnd	D	M								
5110-00-239-3281	jt	D	M								
5110-00-156-0065	knife	D	M								
5110-00-245-4165	marking	D	M								
5110-00-245-4177	rnd	D	M								
5110-00-239-7614	slitting	D	M								
5110-00-239-7602	sq	D	M								
5110-00-239-7590	three-sq	D	M								
5120-00-629-6258	FINGER, MECHANICAL	D	M	EA	1						
6230-00-264-8261	FLASHLIGHT: w/spare lamp	X	M	EA	1						
5210-00-221-1999	GAGE, THICKNESS	D	M	EA	1						
5120-00-061-8541	HAMMER, HAND: 8 oz hd wt	D	M	EA	1						
5120-00-061-8543	HAMMER, HAND: 1 lb hd wt	D	M	EA	1						
5120-00-242-3908	HAMMER, HAND: 4 oz total wt	D	M	EA	1						

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-01-071-5356	HAMMER, HAND: 14 oz hard plastic	D	M	EA	1						
5110-00-595-8325	HANDLE, FILE	D	M	EA	2						
5120-00-935-4641	KEY SET, SOCKET HEAD SCREW: w/case	D	M	SE	1						
	c/o 1 ea of the following:										
	KEY, SOCKET HEAD SCREW:										
	wd across flats, in. arm lg, in.										
5120-00-555-2639	0.028 ..... 1 7/32	D	M								
5120-00-198-5400	0.035 ..... 1 7/32	D	M								
5120-00-198-5401	0.050 ..... 1 21/32	D	M								
5120-00-198-5398	1/16 ..... 1 3/4	D	M								
5120-00-224-2504	5/64 ..... 1 7/8	D	M								
5120-00-242-7410	3/32 2	D	M								
5120-00-889-2162	7/64 ..... 2 1/8	D	M								
5120-00-240-5292	1/8 ..... 2 1/4	D	M								
5120-00-889-2163	9/64 ..... 2 3/8	D	M								
5120-00-198-5392	5/32 ..... 2 1/2	D	M								
5120-00-240-5300	3/16 ..... 2 3/4	D	M								
5120-00-242-7411	7/32 3	D	M								
5120-00-224-4659	1/4 ..... 3 1/4	D	M								
5120-00-240-5274	5/16 ..... 3 3/4	D	M								
5120-00-198-5390	3/8 ..... 4 1/4	D	M								

SC 5180-95-CL-A12-HR

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-00-240-5277	7/16 ..... 4 3/4	D	M								
5120-00-198-5391	1/2 ..... 5 1/4	D	M								
5120-00-240-5268	9/16 ..... 5 3/4	D	M								
5120-00-224-2510	5/8 ..... 6 1/4	D	M								
5120-00-222-1489	3/4 ..... 7 1/4	D	M								
5120-00-221-1536	KNIFE, PUTTY	D	M	EA	1						
5340-00-682-1508	PADLOCK: w/clevis, chain, and 2 keys	X	J	EA	1						
5120-00-247-5177	PLIERS: lg rnd nose, w/cutter, 6 in. size	D	M	EA	1						
5120-00-239-8253	PLIERS, DIAGONAL CUTTING: 6 in. size	D	M	EA	1						
5120-00-278-0352	PLIERS, SLIP JOINT: 10 in. size	D	M	EA	1						
5120-00-624-8065	PLIERS, SLIP JOINT: conduit style w/removable	D	M	EA	1						
	plastic jaw inserts, 9 in. lg										
5120-00-223-7397	PLIERS, SLIP JOINT: comb w/cutter, 8 in. size	D	M	EA	1						
5120-00-789-0492	PLIERS, SNAP RING: w/18 tips, 6 ea 15 deg, 45 deg,	D	M	EA	1						
	and 90 deg bends										
5120-00-293-3509	PUNCH, CENTER, SOLID	D	M	EA	1						
C 5120-00-883-3003 LOSS	PUNCH SET, DRIVE PIN: w/case	D	M	SE	1						
	c/o 1 ea of the following:										
	PUNCH, DRIVE PIN:										
	pt dia, in. pt lg, in.										
5120-00-240-6082	1/16 ..... 1/2	D	M								

SC 5180-95-CL-A12-HR

STOCK NUMBER *a.*	ITEM DESCRIPTION *b.*	* *c.*	SEC *d.*	UI *e.*	QTY AUTH *f.*	*g.* QUANTITY A	B	C	D	E	F
5120-00-242-3435	3/32 ..... 11/16	D	M								
5120-00-242-5966	1/8 ..... 3/4	D	M								
5120-00-240-6104	5/32 ..... 13/16	D	M								
5120-00-293-0791	3/16 ..... 15/16	D	M								
5120-00-293-0792	7/32 1	D	M								
5120-00-240-6083	1/4 1	D	M								
5120-00-293-0793	5/16 1	D	M								
5120-00-273-0001	3/8 1	D	M								
5210-00-234-5223	RULE, STEEL, MACHINIST'S	D	M	EA	1						
5120-00-237-6985	SCREWDRIVER, FLAT TIP: 3/8 in. w flared tip, 8 in.	D	M	EA	1						
	lg bl, w/cushion grip, plastic hdl										
5120-00-236-2140	SCREWDRIVER, FLAT TIP: 1/8 in. w flared tip, 2 in.	D	M	EA	1						
	lg bl, w/pocket clip										
5120-00-832-6223	SCREWDRIVER, FLAT TIP: 1/4 in. w flared tip, 3/8	D	M	EA	1						
	in. female sq-dr in end of hdl, 1 1/2 in. lg bl										
5120-00-764-8058	SCREWDRIVER, FLAT TIP: 1/4 in. w flared tip, 3/8	D	M	EA	1						
	in. female sq-dr in end of hdl, 4 in. lg bl										
5120-00-764-8059	SCREWDRIVER, FLAT TIP: 5/16 in. w flared tip, 3/8	D	M	EA	1						
	in. female sq-dr in end of hdl, 6 in. lg bl										
5120-00-240-5232	SCREWDRIVER, OFFSET	D	M	EA	1						
5120-00-357-7175	SCREWDRIVER SET, CROSS TIP:	D	M	SE	1						

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
	c/o 1 ea of the following:										
	SCREWDRIVER, CROSS TIP:										
	tip size, No. bl lg, in.										
5120-00-224-7370	1 1	D	M								
5120-00-240-8716	1 3	D	M								
5120-00-227-7293	2 ..... 1 1/2	D	M								
5120-00-234-8913	2 4	D	M								
5120-00-234-8912	3 6	D	M								
5120-00-278-0326	SCREW STARTER, HAND	D	M	EA	1						
5120-00-596-8622	SOCKET SET, SOCKET WRENCH: w/case	D	M	SE	1						
	c/o 1 ea of the following:										
	SOCKET, SOCKET WRENCH:										
	opng, in.										
5120-00-243-7351	1/2	D	M								
5120-00-243-7348	9/16	D	M								
5120-00-235-5898	5/8	D	M								
5120-00-243-7346	11/16	D	M								
5120-00-242-3349	3/4	D	M								
5120-00-243-7345	13/16	D	M								
5120-00-243-7342	7/8	D	M								
5120-00-243-7343	15/16	D	M								

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-00-243-7340	1	D	M								
5120-00-243-7341	1 1/16	D	M								
5120-00-243-7339	1 1/8	D	M								
5120-00-555-2353	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 5/32	D	M	EA	1						
	in. hex plug end, 3/8 in. sq-dr end, w/removable										
	hex bit										
5120-00-683-8597	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 3/16	D	M	EA	1						
	in. hex plug end, 3/8 in. sq-dr end, w/removable										
	hex bit										
5120-00-596-8511	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 7/32	D	M	EA	1						
	in. hex plug end, 3/8 in. sq-dr end, w/removable										
	hex bit										
5120-00-596-8508	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 1/4	X	M	EA	1						
	in. hex plug end, 3/8 in. sq-dr end, w/removable										
	hex bit										
5120-00-683-8602	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 5/16	D	M	EA	1						
	in. hex plug end, 3/8 in. sq-dr end, w/removable										
	hex bit										
5120-00-596-1199	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 3/8	D	M	EA	1						
	in. hex plug end, 3/8 in. sq-dr end, w/removable										
	hex bit										

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-00-243-1676	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 1/2	D	M	EA	1						
	in. hex plug end, 1/2 in. sq-dr end, short bit										
	pt										
5120-00-390-7796	SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW: 9/16	D	M	EA	1						
	in. hex plug end, 1/2 in. sq-dr end, short bit										
	pt										
5345-00-224-6595	STONE, SHARPENING: half-rnd, 4 in. lg x 3/8 in. w x	X	U	EA	1						
	3/16 in. thk										
5345-00-584-4554	STONE, SHARPENING: rnd, 4 in. lg, 3/8 in. dia	X	U	EA	1						
5140-00-289-8910	TOOL BOX, PORTABLE	D	M	EA	1						
5180-00-422-8594	TOOL KIT, AUTOMOTIVE ELECTRICAL:	D	M	SE	1						
	c/o 1 ea of the following:										
5210-00-994-8552	GAGE, THICKNESS	D	M								
5120-00-278-0350	PLIERS, SLIP JOINT	D	M								
5140-00-708-3431	ROLL, TOOLS AND ACCESSORIES	D	M								
5120-00-243-3296	SCREW STARTER HAND	D	M								
5120-00-293-1349	WRENCH, OPEN END	D	M								
5120-00-962-7580	WRENCH SET, OPEN END, FIXED:	D	M								
	c/o 1 ea of the following:										
	WRENCH, OPEN END, FIXED:										
	deg of deg of										

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
	angle, small	angle, large									
	opng, in. lg, in. hd	hd									
5120-00-277-3414	13/64 and 15/64 .... 3 ..... 15	60	D	M							
5120-00-277-8310	13/64 and 15/64 .... 3 ..... 60	15	D	M							
5120-00-277-8308	7/32 and 1/4 ..... 3 ..... 15	60	D	M							
5120-00-277-8309	7/32 and 1/4 ..... 3 ..... 60	15	D	M							
5120-00-277-8311	9/32 and 5/16 ..... 3 1/2 .... 15	60	D	M							
5120-00-277-8312	9/32 and 5/16 ..... 3 1/2 .... 60	15	D	M							
5120-00-277-8313	11/32 and 3/8 ..... 3 3/4 .... 15	60	D	M							
5120-00-277-8314	11/32 and 3/8 ..... 3 3/4 .... 60	15	D	M							
5120-00-542-4171	WIRE TWISTER, PLIER: w/cutter, 12 in. lg		D	M	EA	1					
5120-00-240-5328	WRENCH, ADJUSTABLE: 0 to 0.947 in. opng, 8 in. lg		D	M	EA	1					
5120-00-264-3796	WRENCH, ADJUSTABLE: 0 to 1.322 in. opng, 12 in. lg		D	M	EA	1					
5120-00-895-9566	WRENCH SET, COMBINATION BOX AND OPEN END BOX:		D	M	SE	1					
	c/o 1 ea of the following:										
5140-00-322-6009	ROLL, TOOLS AND ACCESSORIES:		D	M							
	WRENCH, BOX AND OPEN END BOX:										
	opng, in.										
5120-00-895-9567	3/8		D	M							
5120-00-895-9568	7/16		D	M							

SC 5180-95-CL-A12-HR

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-00-895-9569	1/2	D	M								
5120-00-895-9570	9/16	D	M								
5120-00-895-9571	5/8	D	M								
5120-00-895-9572	11/16	D	M								
5120-00-895-9573	3/4	D	M								
5120-00-895-9574	7/8	D	M								
5120-00-895-9575	15/16	D	M								
5120-00-895-9576	1	D	M								
5120-00-895-9577	1 1/8	D	M								
5120-00-288-6468	WRENCH, SPANNER	D	M	EA	1						
5120-00-542-5681	WRENCH, TORQUE: w/case	D	M	EA	1						
5120-00-148-7917	WRENCH SET, COMBINATION BOX AND OPEN END:	D	M	SE	1						
	w/roll										
	c/o 1 ea of the following:										
5140-00-106-5671	ROLL, TOOLS, AND ACCESSORIES:	D	M								
	WRENCH, COMBINATION BOX AND OPEN END:										
	opng, in. shape lg, in.										
5120-00-228-9503	5/16 ..... hex or 12 pt .. 3 1/4	D	M								
5120-00-228-9504	3/8 ..... hex or 12 pt .. 4 3/16	D	M								
5120-00-228-9505	7/16 ..... hex or 12 pt .. 5	X	M								
5120-00-228-9506	1/2 ..... 12 pt 5 1/4	D	M								

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-00-228-9507	9/16 ..... 12 pt 5 3/4	D	M								
5120-00-228-9508	5/8 ..... 12 pt 6 1/8	D	M								
5120-00-228-9509	11/16 ..... 12 pt 7	D	M								
5120-00-228-9510	3/4 ..... 12 pt 8	D	M								
5120-00-228-9511	13/16 ..... 12 pt 10 1/4	D	M								
5120-00-228-9512	7/8 ..... 12 pt 10 1/4	D	M								
5120-00-228-9513	15/16 ..... 12 pt 12	D	M								
5120-00-228-9514	1 ..... 12 pt 12 1/2	D	M								
5120-00-322-6231	WRENCH SET, SOCKET: 3/8 in. sq-dr, w/case	D	M	SE	1						
	c/o 1 ea of the following:										
5140-00-103-9172	CASE, SOCKET WRENCH:	D	M								
	EXTENSION, SOCKET WRENCH:										
	lg, in.										
5120-00-227-8107	6	D	M								
5120-00-243-1691	12	D	M								
	HANDLE, SOCKET WRENCH:										
	type lg, in.										
5120-00-237-4969	brace, speeder 16	D	M								
5120-00-240-5396	hinged 8 1/2	D	M								
5120-00-240-5364	rcht 6	D	M								
	SOCKET, SOCKET WRENCH:										

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
	opng in. pt lg										
5120-00-227-6702	3/8 ..... dbl hex .. rglr	D	M								
5120-00-227-6703	7/16 ..... dbl hex .. rglr	D	M								
5120-00-241-3185	1/2 ..... dbl hex .. lg (deepwell)	D	M								
5120-00-237-0977	1/2 ..... dbl hex .. rglr	D	M								
5120-00-239-0017	9/16 ..... dbl hex .. lg (deepwell)	D	M								
5120-00-227-6704	9/16 ..... dbl hex .. rglr	D	M								
5120-00-239-0018	5/8 ..... dbl hex .. lg (deepwell)	D	M								
5120-00-237-4973	5/8 ..... dbl hex .. rglr	D	M								
5120-00-277-4252	11/16 .... dbl hex .. lg (deepwell)	D	M								
5120-00-232-5706	11/16 .... dbl hex .. rglr	D	M								
5120-00-235-5879	3/4 ..... dbl hex .. lg (deepwell)	D	M								
5120-00-227-6705	3/4 ..... dbl hex .. rglr	D	M								
5120-00-596-0836	13/16 .... dbl hex .. lg (deepwell)	D	M								
5120-00-235-5807	13/16 .... dbl hex .. rglr	D	M								
5120-00-242-3330	7/8 ..... dbl hex .. rglr	D	M								
5120-00-224-9215	UNIVERSAL JOINT	D	M								
	UNIVERSAL JOINT, SOCKET WRENCH:										
	size, in. pt										
5120-00-242-3355	1/2 ..... dbl hex	D	M								
5120-00-237-0978	9/16 ..... dbl hex	D	M								

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY A	B	C	D	E	F
5120-00-081-2307	WRENCH SET, SOCKET: 1/2 in. sq-dr, w/case	D	M	SE	1						
	c/o 1 ea of the following:										
5140-00-103-9172	CASE, SOCKET WRENCH:	D	M								
	EXTENSION, SOCKET WRENCH:										
	lg, in.										
5120-00-243-1697	2	D	M								
5120-00-243-7326	5	D	M								
5120-00-227-8074	10	D	M								
	HANDLE, SOCKET WRENCH:										
	type lg, in.										
5120-00-221-7958	hinged 9	D	M								
5120-00-236-7590	hinged 14 1/2	D	M								
5120-00-230-6385	rcht 9	D	M								
	SOCKET, SOCKET WRENCH:										
	opng, in. pt lg										
5120-00-189-7924	7/16 ..... dbl hex ..... rglr	D	M								
5120-00-237-0984	1/2 ..... dbl hex ..... rglr	D	M								
5120-00-189-7932	9/16 ..... dbl hex ..... rglr	D	M								
5120-00-189-7946	5/8 ..... dbl hex ..... rglr	D	M								
5120-00-235-5870	11/16 ..... dbl hex ..... rglr	D	M								
5120-00-189-7985	3/4 ..... dbl hex ..... rglr	D	M								

STOCK NUMBER *a.*	ITEM DESCRIPTION *b.*	* *c.*	SEC *d.*	UI *e.*	QTY AUTH *f.*	*g.* QUANTITY					
						A	B	C	D	E	F
5120-00-189-7933	13/16 ..... dbl hex ..... rglr	D	M								
5120-00-189-7934	7/8 ..... dbl hex ..... rglr	D	M								
5120-00-189-7935	15/16 ..... dbl hex ..... rglr	D	M								
5120-00-189-7927	1 ..... dbl hex ..... rglr	D	M								
5120-00-189-7913	1 1/16 ..... dbl hex ..... rglr	D	M								
5120-00-189-7914	1 1/8 ..... dbl hex ..... rglr	D	M								
5120-00-189-7917	1 1/4 ..... dbl hex ..... rglr	D	M								
5120-00-269-7971	UNIVERSAL JOINT	D	M								
	THOSE NSNS INDICATED BY AN "X" IN THE ARC ON										
	HAND RECEIPT PAGES NEED NOT BE COUNTED UNDER										
	THE INVENTORY PROVISION OF PARA 2-10,										
	AR 710-2. ITEMS WILL BE ORDERED AS REQUIRED.										

SC 5180-95-CL-A12-HR

Reverse of DA Form 2062

Current as of 8 OCT 1982

By Order of the Secretary of the Army:

E. C. MEYER
General, United States Army
Chief of Staff

Official:

ROBERT M. JOYCE
Major General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-21A, Requirements for FSC Group 5180-CL, Tool Kit Artillery Mechanic.

☆ U.S. Government Printing Office: 1987—754-030/65400